

Safety Data Sheet

1 – PRODUCT IDENTIFICATION



PRODUCT NAME: Seal & Go Tire Sealant
PRODUCT TYPE: Liquid Puncture Sealant
PRODUCT NUMBER: V4650XXX (Last 3 characters vary with the packaging)
CONTROL NUMBER: V4650XXX
PRODUCT TYPE: Liquid Puncture Sealant

COMPANY: **Bell Automotive Products Inc.**
18940 N Prima Rd Ste 200
Scottsdale, AZ 85255
(480)-991-5055
SDS Request: (480)-991-5055
EMERGENCY PHONE: (800) 255-3924 (CHEM-TEL)

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE/MIXTURE: Skin Sensitizer (1) Carcinogenicity (1B)
Reproductive Toxicity (2)

SYMBOLS:.....



SIGNAL WORD: DANGER!
HAZARD STATEMENT: May cause cancer. Suspected of damaging fertility or the unborn child. May cause an allergic skin reaction.
PRECAUTIONARY STATEMENTS:
PREVENTION: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. Avoid breathing vapours/spray. Contaminated work clothing should not be allowed out of the workplace.
RESPONSE:..... IF exposed or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of water and soap. If skin irritation or a rash occurs: Get medical advice/attention. Specific treatment (see First AID Section on this SDS). Wash contaminated clothing before reuse.
STORAGE:..... Store locked up.
DISPOSAL: Dispose of container and contents in accordance with local regulations.

Safety Data Sheet

3 – COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	C.A.S. NUMBER
Water	7732-18-5
Propylene Glycol	57-55-6
Triethanolamine	102-71-6
Aluminosilicate Fiber	142844-00-6
Diethanolamine	111-42-2

Percentages of ingredients are being withheld as trade secret information. This information will be disclosed as necessary to authorized individuals

4 – FIRST-AID MEASURES

BREATHING (INHALATION): .. If victim shows signs of discomfort or irritation, remove to fresh air. If symptoms persist, get immediate medical attention.

SWALLOWING (INGESTION):.. **DO NOT INDUCE VOMITING!** Drink a large quantity of water or milk. Do not attempt to give liquids to an unconscious person. Get immediate medical attention!

EYES: Inhalation, skin absorption, or ingestion.

SKIN (DERMAL): Flush from skin and clothing with large amounts of fresh water. If irritation persists, consult physician. Wash contaminated clothing before wearing.

5 – FIRE-FIGHTING MEASURES

FLASHPOINT: This product is non-flammable.

EXTINGUISHING MEDIA: Water fog or fine spray. Carbon dioxide, Dry chemical or Alcohol resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES:.....Firefighters working in areas where this product is present should be equipped with an approved, fully enclosed SCBA.

UNUSUAL FIRE AND EXPLOSION HAZARDS:.....None known.

6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:..... Dike to prevent spillage into streams or sewer systems. Consult local, state and federal authorities.

WASTE DISPOSAL: As recommended by local, state and federal authorities.

7 – HANDLING and STORAGE

STORAGE:..... Store in a cool, well ventilated area. Avoid overheating or freezing.

Safety Data Sheet

HANDLING: Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:.....Not usually needed in well-ventilated areas. If needed, use a NIOSH approved respirator.

PROTECTIVE CLOTHING:..... Nitrile or PVC gloves, and chemical splash goggles.

ADDITIONAL MEASURES:..... Under normal use according to label instructions, special protection should not be necessary. Wear eye protection if product is likely to splash. Do not place this product in an unmarked container! Keep away from children! Spilled material is slippery.

INGREDIENT	C.A.S. NUMBER	PEL
Water	7732-18-5	No limits established
Propylene Glycol	57-55-6	No limits established
Triethanolamine	102-71-6	No limits established
Aluminosilicate Fiber	142844-00-6	0.5 fiber/cc 8-hr TWA(supplier)
Diethanolamine	111-42-2	NIOSH: 3 ppm TWA; 15 mg/m ³ TWA

9 – PHYSICAL / CHEMICAL PROPERTIES

APPEARANCE & ODOR:..... Yellow opaque gel, with visible fibers.

ODOR THRESHOLD: N/A

pH: 8.0-9.0

MELTING POINT: Greater than 212 degrees F.

FREEZING POINT: N/A

BOILING POINT: Greater than 212 degrees F.

BOILING POINT RANGE: N/A

FLASHPOINT: This product is non-flammable.

EVAPORATION RATE: N/A

FLAMMABILITY (solid/gas): ... N/A

EXPLOSION LIMITS:..... N/A

VAPOR PRESSURE: N/A

SPECIFIC GRAVITY:..... 1.1

SOLUBILITY IN WATER: Dispersible.

PARTITION COEFFICIENT: N/A

AUTO-IGNITION TEMPERATURE:N/A

DECOMPOSITION TEMPERATURE:N/A

VISCOSITY: Significant body

Safety Data Sheet

10 – STABILITY and REACTIVITY

STABILITY: Stable under normal conditions.
HAZARDOUS DECOMP.: This product not known to polymerize.
INCOMPATIBILITY: Avoid strong oxidizers. Avoid heat, sparks or open flames.

11 – TOXICOLOGICAL INFORMATION

ROUTE(S) OF ENTRY: Inhalation, skin absorption, or ingestion.
LISTED CARCINOGEN: This product contains a chemical listed by the NTP and the IARC as a possible cancer causing agent. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
MEDICAL CONDITION AGGRAVATED: May aggravate pre-existing dermatitis.
INHALATION: Inhalation of large amounts of this product may cause dizziness and/or nausea. Maintain adequate ventilation in the work area.
INGESTION: This material can cause irritation or damage to stomach and esophagus.
EYES: May cause severe eye irritation.
SKIN (DERMAL): This product may cause irritation or redness of the skin.
ACUTE TOXICITY* (ORAL): >5000 mg/kg
ACUTE TOXICITY* (DERMAL): >5000 mg/kg
ACUTE TOXICITY* (INHALATION): >20,000 ppm V (Gas), >20 mg/l (Vapor), >5 mg/l (Dust)

*Determined using the additivity formula for mixtures (GHS Purple Book, 3.1.3.6)

12 – ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE AND DISTRIBUTION: N/A

13 – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: As recommended by local, state and federal authorities.

14 – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Not D.O.T. regulated.
HAZARD CLASS: None
UN/NA NUMBER:
PACKAGING GROUP :

Safety Data Sheet

15 - REGULATIONS

CALIFORNIA PROPOSITON 65:Warning! This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
Aluminosilicate Fiber (142844-00-6)
Diethanolamine (111-42-2)

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

16 – OTHER INFORMATION

NFPA HEALTH: 1
NFPA FLAMMABILITY:..... 0
NFPA REACTIVITY: 0
NFPA OTHER: None

ADDITIONAL: The information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe- read this product safety information and pass it on to all persons who may be exposed to this product. Federal law requires it. This product and/or all of its components are either included on or exempt from the TSCA Inventory of Chemical Substances.

REVISION DATE: 4/2/2015