SAFETY DATA SHEET

Harvard Chemical Research, Inc.

Issue Date 26-Aug-2014 **Revision Date** 01-May-2017 **Version** 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name MRCC 2000

Other means of identification

Product Code 2069

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Mold Resistant White Coating

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Harvard Chemical Research, Inc., 3595 Zip Industrial Blvd., Atlanta, GA 30354

Emergency telephone number

Company Phone Number 404-761-0657

24 Hour Emergency Phone Number 800-424-9300

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Label elements

Emergency Overview

Appearance White **Physical state** liquid **Odor** Bland

Hazards not otherwise classified (HNOC)

Other Information

• May be harmful if swallowed

• May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret

Vinyl Acetate	108-05-4	<60	*
3-Iodo-2propynyl carbamate	55406-53-6	<1	*
Methyl 2-benzimidaole	10605-21-7	<1	*
Titanium Dioxide (Pigment)	13463-67-7	<1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact Rinse with clear water.

Inhalation Remove to fresh air. If not breathing, clear airway and start artificial respiration. If victim is having trouble breathing, give supplemental oxygen, if available. Get medical attention.

Ingestion Immediately drink large quantities of water. Get medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media
Carbon dioxide (CO2). Dry chemical. Foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical
No information available.

Explosion data
Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dispose in accordance with federal and state regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container closed when not in use. Do not freeze. Keep out of reach of children. Follow label instructions.

Incompatible materials Strong acids. OXIDIZERS.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Vinyl Acetate 108-05-4	STEL: 15 ppm TWA: 10 ppm	(vacated) TWA: 10 ppm (vacated) TWA: 30 mg/m^3 (vacated) STEL: 20 ppm (vacated) STEL: 60 mg/m^3	Ceiling: 4 ppm 15 min Ceiling: 15 mg/m^3 15 min

Appropriate engineering controls

Engineering Controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear Neoprene or protective rubber gloves. Drenching safety shower and eye wash station.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Appearance	Thick White Liquid	**Odor**	Bland
Color	White	**Odor threshold**	No information available

Property	Values	Remarks • Method
pH	8.5	
Melting point/freezing point	No information available	

Boiling point / boiling range	100 >212°F
Flash point	No information available
Evaporation rate	<1
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	>1
Specific Gravity	1.03
Water solubility	Miscible in water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	8.51
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity
No data available

Chemical stability
Stable under recommended storage conditions.

Possibility of Hazardous Reactions
None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid
Extremes of temperature and direct sunlight.

Incompatible materials
Strong acids. OXIDIZERS.

Hazardous Decomposition Products
Carbon monoxide. Carbon dioxide (CO2). heat.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation Irritation and difficulty in breathing.

Eye contact Severely irritating to eyes.

Skin Contact No data available.

Ingestion Gastric pain and vomiting.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl Acetate 108-05-4	= 2900 mg/kg (Rat)	= 2335 mg/kg (Rabbit)	= 11400 mg/m^3 (Rat) 4 h = 11.4 mg/L (Rat) 4 h
3-Iodo-2propynyl carbamate 55406-53-6	= 1100 mg/kg (Rat)	-	-
Methyl 2-benzimidaole 10605-21-7	= 6400 mg/kg (Rat)	= 2 g/kg (Rat) = 8500 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Vinyl Acetate 108-05-4	A3	Group 2B	-	X

Reproductive toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Vinyl Acetate 108-05-4	-	14: 96 h Pimephales promelas mg/L LC50 static 15.04 - 21.54: 96 h Lepomis macrochirus mg/L LC50 static 26.1 - 36.63: 96 h Poecilia reticulata mg/L LC50 static	52: 24 h Daphnia magna mg/L EC50
3-Iodo-2propynyl carbamate 55406-53-6	-	0.14 - 0.32: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.049 - 0.079: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.05 - 0.089: 96 h Oncorhynchus mykiss mg/L LC50 0.18 - 0.23: 96 h Pimephales promelas mg/L LC50 flow-through	-

Persistence and degradability
No information available.

Bioaccumulation
No information available.

Chemical Name	Partition coefficient
Vinyl Acetate 108-05-4	0.73

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl 2-benzimidaole 10605-21-7	U372	Included in waste streams: K156, K158	-	U372

Chemical Name	California Hazardous Waste Status
Vinyl Acetate 108-05-4	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Does not comply
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Vinyl Acetate - 108-05-4	0.1
3-Iodo-2propynyl carbamate - 55406-53-6	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Vinyl Acetate 108-05-4	5000 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Vinyl Acetate 108-05-4	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ
Methyl 2-benzimidaole 10605-21-7	10 lb	-	RQ 10 lb final RQ RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Vinyl Acetate 108-05-4	X	X	X
3-Iodo-2propynyl carbamate 55406-53-6	X	-	-
Methyl 2-benzimidaole 10605-21-7	X	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPA	**Health hazards**	0	**Flammability**	0	**Instability**	0	**Physical and Chemical Properties** -
HMIS	**Health hazards**	1	**Flammability**	0	**Physical hazards**	0	**Personal protection** X

Prepared By Hassan Hashtroudi
Issue Date 26-Aug-2014
Revision Date 01-May-2017
Revision Note
No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet